

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	386	(three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector and (arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) with (different vary\$4 alter\$4 chang\$4 modif\$4 modificat\$4 variat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:53
L2	1	scattergram and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:27
L3	1	LIC and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:27
L5	117	(three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector and (arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (different vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 bearing inclinat\$4 declinat\$4 azimuth) with (orient\$4 orientat\$4 direct\$4 bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:30
L6	128	(three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector and (arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (different vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:30

EAST Search History

L7	133	(three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector and (arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (different vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:31
L8	133	(three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector and (arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (different vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:32
L9	6	(arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (different vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth) same hue same saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:46
L10	61	(color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth) same hue same saturation same intensity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:49

EAST Search History

L11	256	(color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth) and hue same saturation same intensity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:33
L12	1	11 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:46
L13	39	(color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth) and hue same saturation same intensity same (vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) near3 (value characteristic number quantity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:05
L14	69	(color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth) and hue same saturation same intensity same (vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) with (value characteristic number quantity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:51
L15	1	line near integral\$4 near convolut\$5 and (three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:45

EAST Search History

L16	19	(color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) with (orient\$4 orientat\$4 direct\$4 bearing inclinat\$4 declinat\$4 azimuth) and hue same saturation same intensity same (vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5 chang\$4 differ\$4 differentiat\$4 modify\$4 modificat\$4) near3 (value characteristic number quantity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:05
L33	613	scattergram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:37
L34	624	scattergram scatter-gram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:39
L35	6	34 and vector with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:41
L36	14	(US-20050018882-\$ or US-20020128779-\$ or US-20040032977-\$ or US-20040174357-\$ or US-20010017542-\$ or US-20020115927-\$ or US-20040217956-\$ or US-20030234781-\$).did. or (US-6691074-\$ or US-6441821-\$ or US-6023657-\$ or US-5592598-\$ or US-5855557-\$ or US-4811220-\$). did.	US-PGPUB; USPAT	OR	ON	2006/03/16 13:42
L37	3	select\$4 with (group set part portion subset) with vector and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:43

EAST Search History

L39	1644	select\$4 with (group set part portion subset) with (vector arrow) and (scatter\$5 (scatter?gram (scatter near gram)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:44
L40	1644	select\$4 with (group set part portion subset) with (vector arrow) and (scatter\$5 (scatter?gram (scatter near (gram plot))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:44
L41	1	line near integral\$4 near convolut\$5 and (three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same (vector arrow stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 13:45
L42	1	line near integral\$4 near convolut\$5 and (three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same (vector arrow stream streamline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 14:22
L43	1	visualiz\$5 with simulation with playback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 14:22
S1	902	345/440.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 14:48
S2	892	345/441.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 14:37
S3	336	345/440.\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 14:48
S4	329	345/442.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 14:48

EAST Search History

S5	388	345/443.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 14:48
S6	902	345/440.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 14:48
S7	892	345/441.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 14:48
S8	2470	(S3 S4 S5 S6 S7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:31
S9	2709	spher\$5 near coordinat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:31
S10	433411	(three-dimension\$8 3D (three adj dimension\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:32
S11	1307	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:32
S12	398	S9 same S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:32
S13	220	S9 with S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:32
S14	63979	"345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:32

EAST Search History

S15	200	S11 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:33
S16	36	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:33
S17	282995	calibr\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:33
S18	660915	orientat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:33
S19	43116	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 16:33
S20	12	S19 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S21	2709	spher\$5 near coordinat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S22	433411	(three-dimension\$8 3D (three adj dimension\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S23	1307	S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S24	63979	"345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09

EAST Search History

S25	200	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S26	282995	calibr\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S27	660915	orientat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S28	43116	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S29	44	S28 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S30	220	S21 with S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S31	36	S30 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S32	12	S28 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:09
S33	32	S29 NOT S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S34	2709	spher\$5 near coordinat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51

EAST Search History

S35	433411	(three-dimension\$8 3D (three adj dimension\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S36	63979	"345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S37	220	S34 with S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S38	36	S37 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S39	36	S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S40	282995	calibr\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S41	660915	orientat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S42	43116	S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S43	12	S42 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51
S44	12	S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:51

EAST Search History

S45	173913	S35 and data\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:52
S46	3566	spheric\$3 with coordinat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:52
S47	14247	Cartes\$5 with coordinat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:52
S48	930	S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:52
S49	656	S46 same S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:52
S50	120	S49 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:53
S51	26374	vector\$4 with field\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:53
S52	30	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:53
S53	529	scattergram\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:53
S54	284888	scatter\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:53

EAST Search History

S55	284888	scatter\$8 scatter-\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:53
S56	0	S52 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:53
S57	13	S52 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:04
S58	0	S54 with vector\$8 with S41 with S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:05
S59	48	S54 with vector\$8 with S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:05
S60	37	S54 with vector\$8 with S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:05
S61	0	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:05
S62	4	("6765570" "20040174357").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 18:55
S63	1024	345/440.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 18:55

EAST Search History

S65	955	345/441.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 18:55
S67	361	345/440\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 18:55
S69	361	345/442.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 18:55
S71	408	345/443.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 18:55
S73	3292	vector adj field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:10
S74	42	S73 with visualiz\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:19
S75	3	(weather wind) with arrow with direction and vector near field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:30
S76	65	(weather wind) with direction with speed and arrow with direction same magnitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:31
S77	348	(weather wind) with direction with speed and arrow with direction with (magnitude speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:31

EAST Search History

S78	57	(weather wind) with direction with speed and arrow with direction with (magnitude speed) and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:31
S79	17	(weather wind) with direction with speed and arrow with direction with (magnitude speed) and vector with arrow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:37
S80	3	visualiz\$8 with (weather wind) and vector same arrow with direction same (speed magnitude)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:37
S81	2001	vector with (orientat\$4 direction) with (intensity color) with (direction speed magnitude)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:38
S82	124	vector with (orientat\$4 direction) with (intensity color) with (direction speed magnitude) with length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:38
S83	30	S82 same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:38
S84	17	S82 same arrow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:39
S85	23	S83 not S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:39

EAST Search History

S86	8	S85 and @pd>="19950101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:45
S87	641	(vector arrow) with color near3 (different variable chang\$4 vary\$4 alter\$4 cod\$4) with (orientat\$4 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:47
S88	32	S87 with field and @pd>="19950101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:49
S89	42	S87 same (three?dimension\$4 3D 3-D (three adj dimension\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:50
S90	40	S87 same (three?dimension\$4 3D 3-D (three adj dimension\$4)) and @pd>"19950101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:50
S91	14	(S87 not Sedlmayr-\$.in.) same (three?dimension\$4 3D 3-D (three adj dimension\$4)) and @pd>"19950101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 21:53
S92	268	(three?dimension\$4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector and (arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) with (different vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:03

EAST Search History

S93	114	(three?dimension\$4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector and (arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) near3 (different vary\$4 alter\$4 diverg\$4 deviat\$5 distinct\$5) with (orient\$4 orientat\$4 direct\$4 bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:29
S94	3	S93 and (weather wind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:15
S95	111	S93 and field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:16
S96	110	S95 not S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:16
S97	32	S96 and vector with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:16
S98	1	S96 and arrow with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:16
S99	31	S97 and @pd>="19950101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:17

EAST Search History

S10 0	31	S99 not Sedlmyer-\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:17
S10 1	31	S99 not Sedlmyar-\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:17
S10 2	5	S99 not Sedlmayr-\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:18
S10 3	84	S96 not Sedlmayr-\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:18
S10 4	83	S103 and @pd>="19950101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:19
S10 5	26	S104 not Tsikos-\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 22:20
S10 6	386	(three?dimension?4 3D 3-D "3"?dimension\$4 ((three "3") adj dimension\$4)) same vector and (arrow vector) with (color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) with (different vary\$4 alter\$4 chang\$4 modif\$4 modificat\$4 variat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 23:59

EAST Search History

S10 7	507475	(color colour pseudocolor pseudocolour pseudo?color pseudo?colour (pseudo adj (color colour))) with (different differ\$4 differentiat\$4 vary\$4 alter\$4 chang\$4 modif\$4 modificat\$4 variat\$4 transform\$4 shift\$4 convert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 00:01
S10 8	31927	vector with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 00:02
S10 9	89	S106 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 00:05
S11 0	62	S109 not Sedlmayr.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:53